

PROCEEDINGS: N Iowa CSD

**NORTH IOWA
COMMUNITY SCHOOL BOARD
Special Meeting
Wednesday, May 2, 2018**

The North Iowa Community School Board met in special session on Wednesday, May 2nd, 2018, in the High School Media Center. The meeting was called to order at 4:51 p.m. by President Duve with members Angstman, Duve, Giesking, Ostermann, Price and Wubben answering roll call. Absent: Helland. Also in attendance were Sec. Mathahs, Principal Schutjer and Principal Bergeson.

Giesking moved, Ostermann seconded to change the final agenda item from Superintendent Candidate Finalists Selection to Superintendent Contract Discussion. Ayes: 6. Carried.

Helland entered the meeting at 4:52 PM.

Price moved, Wubben seconded to enter into closed session per 21.5 (j) for superintendent evaluation. The time was 4:53 pm. Ayes: Angstman, Duve, Giesking, Helland, Ostermann, Price and Wubben. Carried.

Angstman moved, Wubben seconded to exit closed session at 8:14 PM. Ayes: Angstman, Duve, Giesking, Helland, Ostermann, Price and Wubben. Carried.

Ostermann moved, Giesking seconded to offer a superintendent contract to Joe Erickson. Ayes: 7. Carried.

Ostermann moved, Angstman seconded to adjourn. Ayes: 7. Carried. The time was 8:19 p.m.

*Matt Duve, President
Gwen Mathahs, Board Secretary*
EOE/AA

Published in the Buffalo Center Tribune on Wednesday, May 9, 2018

PROCEEDINGS: Winnebago Co.

**WINNEBAGO COUNTY
BOARD OF SUPERVISORS
April 24, 2018**

The Winnebago County Board of Supervisors met in session at 9:00 A.M. April 24, 2018 adjourned from April 17, 2018.

Present: Supervisors Durby, Jensvold, and Stensrud

Absent:

On a motion by Durby and seconded by Jensvold the Supervisors moved to approve the minutes for the April 17, 2018 Board Meeting and approve the agenda for April 24, 2018. All voted aye. Motion carried.

Scott Meinders, Engineer discussed Secondary Road matters including grading the roads.

On a motion by Stensrud and seconded by Durby the Supervisors moved to approve the utility permit for routine maintenance for Alliant Energy. All voted aye. Motion carried.

Kris Oswald, Drainage Clerk discussed Drainage District matters including updates on DD 3-11 Lat 7 and DD 39-37.

Jim Willis, Group Benefit Partners discussed insurance add on options.

During open forum Karla Weiss, Auditor stressed the importance of all County employees and citizens of Winnebago County to contact Senator Guth, Representative Gassman, and Governor Reynolds regarding fully funding the back fill for the Commercial and Industrial rollbacks.

The following Manure Management plan was received by the Auditor's office; Lewis Grain & Livestock, located in the SE ¼ of the SW ¼ of Forest Township, Section 28, in Winnebago County, Iowa.

The session was adjourned until 9:00 A.M. May 1, 2018.

Mike Stensrud, Chairperson

Attest: Karla Weiss, Auditor

Published in the Buffalo Center Tribune on Wednesday, May 9, 2018

PROCEEDINGS: N Iowa CSD

**NORTH IOWA
COMMUNITY SCHOOL BOARD
Special Meeting
Monday, April 30, 2018**

The North Iowa Community School Board met in special session on Monday, April 30, 2018, in the High School Media Center. The meeting was called to order at 4:54 p.m. by President Duve with members Angstman, Duve, Giesking, Helland, Ostermann, Price and Wubben answering roll call. Also in attendance were Sec. Mathahs, Principal Schutjer and Principal Bergeson.

Price moved, Giesking seconded to approve the agenda as written. Ayes: 7. Carried.

Angstman moved, Wubben seconded to enter into closed session per 21.5 (j) for superintendent evaluation. The time was 4:55 pm. Ayes: Angstman, Duve, Giesking, Helland, Ostermann, Price and Wubben. Carried.

Angstman moved, Wubben seconded

to exit closed session at 6:06 PM. Ayes: Angstman, Duve, Giesking, Helland, Ostermann, Price and Wubben. Carried.

Giesking moved, Helland seconded to enter into closed session per 21.5 (j) for superintendent evaluation. The time was 6:43 pm. Ayes: Angstman, Duve, Giesking, Helland, Ostermann, Price and Wubben. Carried.

Angstman moved, Price seconded to exit closed session at 8:14 PM. Ayes: Angstman, Duve, Giesking, Helland, Ostermann, Price and Wubben. Carried.

Ostermann exited the meeting at 8:15PM.

Angstman moved, Helland seconded to adjourn. Ayes: 6. Carried. The time was 8:18 p.m.

*Matt Duve, President
Gwen Mathahs, Board Secretary*
EOE/AA

Published in the Buffalo Center Tribune on Wednesday, May 9, 2018

Public Notice

PUBLIC NOTICE

The Winnebago County Board of Supervisors, has received a construction permit application for a confinement feeding operation, more specifically described as follows:

Name of Applicant: Holland Pork LLC
 Site Location of the operation: Section 33 Eden Township.

Type of Confinement feeding operation structure* proposed: No new construction proposed. Modifying the Master Matrix to an existing swine confinement facility.

Animal Unit Capacity of the Confinement Operation: Unchanged at 1920 animal units (4800 head of swine finishers)

Examination: The application is on file at the County Auditor's Office and is available for public inspection during the following days:

Monday through Friday from 8:00 A.M. to 4:30 P.M.

Public Hearing: There will be a public hearing Tuesday, May 22, 2018 at 9:00 A.M. in the Winnebago County Supervisors meeting room.

Comments: Written comments may be filed at the County Auditor's Office until May 22, 2018 at 9:00 A.M.

*A confinement feeding operation structure = a confinement building with a below the floor concrete pit; confinement building with an earthen basin or anaerobic lagoon; above ground steel tank, etc.

Published in the Buffalo Center Tribune on Wednesday, May 9, 2018

PROCEEDINGS: City of Buffalo Center

CITY OF BUFFALO CENTER COUNCIL PROCEEDINGS April 18, 2018

The Buffalo Center City Council met in regular session on April 18, 2018 at 5pm at City Hall. Council present: Hofbauer, West, Haugen, Wirth. Citizens present: Janet & Paul Jutting, Andrew Shaw, Ken Balvance, Troy Armstrong, Ken Vonnahme. Employees present: DeWayne Maass, Public Works and Matthew Holmquist, Police.

Mayor John Davids called the meeting to order. Wirth moved, seconded by West, to approve the agenda. Four ayes, motion carried.

West moved, seconded by Haugen, to approve the minutes from the March 14th meeting as printed. Four ayes, motion carried.

Hofbauer moved, seconded by Haugen, to approve the payment of bills listed at the end of the Council notes. Four ayes, motion carried.

West moved, seconded by Haugen, to approve the first reading of Ordinance 78 repealing the portable stops at the five locations. The paragraphs repealed are Chapter 65, Section 02, Paragraphs

20. Fifth Avenue and Second Street Northeast

21. Fourth Avenue and Second Street Northeast

23. Sixth Avenue and Second Street Northeast

24. Fourth Street and Fourth Avenue Northeast

25. First Street and Fourth Avenue Southwest

when portable stop is in place. The portable stop sign will be placed at the intersection by a city employee from Memorial Day to Labor Day for the continuous 24 hours a day. Roll call vote: Hofbauer, aye, Haugen, aye, West, aye, Wirth, nay. Motion carried. West moved, seconded by Hofbauer, to waive the 2nd and 3rd readings of this ordinance. Roll call vote: four ayes. Motion carried. This ordinance will be published in the April 25th issue of the Buffalo Center Tribune.

Haugen moved, seconded by West, to approve Resolution 6-2018 to designate yield to pedestrian's sign in crosswalks. All must yield to pedestrians when in the crosswalk. The portable sign will be placed at the intersections by a city employee from Memorial Day to Labor Day for the continuous 24 hours a day.

The locations are (1) Fifth Avenue and Second Street Northeast

(2) Fourth Avenue and Second Street Northeast

(3) Sixth Avenue and Second Street Northeast

(4) Fourth street and Fourth Avenue Northeast

(5) First Street and Fourth Avenue Southwest

Roll call vote: Wirth, nay, Hofbauer, aye, West, aye, Haugen, aye. Resolution carried.

West moved, seconded by Haugen, to approve the following for the pool employment for the summer of 2018:

WSI part time guards: Jess Wubben, Cassidy Sachs, Jordan Ostrander, Brenna Paulson, MacKenzy Jensvold

Part time guards: Danessa Bruner, Hannah Main, Max Schaefer, Krista Schutter

Substitute guards: Natalie Sachs, Noah Paulson

Four ayes, motion carried.

Wirth moved, seconded Hofbauer, to approve Resolution 7-2018 setting the budget amendment public hearing date for May 9, 2018 at 7pm at City Hall. Roll call vote: four ayes. Resolution carried.

West moved, seconded by Wirth, to approve Resolution 8-2018 to set May 9, 2018 at 7pm as the date and time for a public hearing on the proposal to enter into a General Obligation Fire Truck Acquisition Loan Agreement and to borrow money in a principal amount not to exceed \$210,000. Roll call vote: four ayes. Resolution carried.

Paul Jutting has requested a hearing, the Council set Saturday, April 21, 2018 at 10am at City Hall as the date and time.

Councilmember Holland joined the meeting at 5:16 pm. Councilmembers Wirth and Holland will be on the employment committee with Mayor Davids to review applications for the public works position. Other business discussed was the storm sewer and water meter equipment quote.

West moved, seconded by Hofbauer, to adjourn the meeting. All ayes, meeting adjourned.

Revenues for March 2018: General Fund, \$9,637.29; Library, \$57.00; Road Use Tax, \$8,059.71; Employee Benefit, \$557.11; Local Option Sales Tax, \$12,304.80; Debt Service, \$1,911.14;

Water Fund, \$16,520.44; Sewer Fund, \$6,293.43; Garbage Fund, \$7,322.35; Interest, \$40.45

Disbursements for March 2018: General Fund, \$17,662.53; Library Fund, \$1,937.27; Employee Benefit, \$2,034.45; Road Use Tax Fund, \$9,170.46; Water Fund, \$6,704.13; Sewer Fund, \$7,684.81; Garbage Fund, \$8,093.11; Gross Payroll, \$25,762.01; City Contribution, \$3,544.44

John R Davids, Mayor

Attest: Deb Landheer, City Clerk

April 2018 Bills

AgSource-Service.....	\$68.75
Alliant Energy-Service	\$5,810.31
Alphs Plumbing-Service	\$333.66
Logan Anderson-Service	\$700.00
Austin Office Products-Supplies ...	\$108.00
B C Post Office-Supplies	\$288.15
B C Repair-Supplies	\$4,650.00
B C Tire-Supplies.....	\$50.49
Bison Graphics-Supplies	\$99.96
Brown Supply-Service	\$470.00
Casey's General Store-Service	\$251.06
DeVries Lumber-Supplies.....	\$877.08
H & S Autoparts-Service.....	\$728.39
Hawkins Inc-Supplies	\$2,580.54
Hemphill Law Office-Service	\$308.40
Jessica Hernandez-Refund	\$15.97
Jim Hofbauer-Service.....	\$450.00
Matt Holmquist-Supplies.....	\$239.98
Iowa Dept Inspection-Service.....	\$67.50
Iowa Prison Industries-Supplies ...	\$518.00
John Deere Financial-Supplies.....	\$878.86
K & H Coop Oil-Supplies	\$1,556.84
Kossuth County Auditor	
-Service.....	\$3,156.90
Scott Levine-Service.....	\$1,179.00
Library WCTA-Service	\$34.52
Book Look-Service	\$255.83
McNaughton-Service	\$236.25
Family Handiman-Service.....	\$16.98
Chase Card-Supplies.....	\$29.83
Birds & Blooms-Service	\$15.00
World Book-Service	\$53.40
Mid-Am Publish-Service.....	\$78.00
Main Street Market-Supplies	\$61.15
Mid-America Publishing-Service...	\$127.33
Murra Hardware-Supplies.....	\$212.74
Next Generation Tech-Service.....	\$69.28
North Iowa Environmental	
-Service.....	\$575.00
Travis Tjarks-Service	\$279.41
Verizon Wireless-Service.....	\$212.15
Winnebago Coop Telephone	
-Service.....	\$444.96

Published in the Buffalo Center Tribune on Wednesday, May 9, 2018

Public Notice

NOTICE

Pursuant to Section 52.35 of the Iowa Code, a public test of the vote tabulating equipment to be used at the June 5, 2018 Primary Election will be held at the Winnebago County Auditor's Office at the Courthouse in Forest City, Iowa. The test will be held at 9:00 o'clock A.M. on May 18, 2018. Any interested person is invited to attend.

Karla Weiss
 Winnebago County Auditor

Published in the Buffalo Center Tribune on Wednesday, May 9, 2018

Proceedings

City of Lakota Unapproved Minutes Special Council Meeting April 26, 2018, 7:00 p.m.

Mayor Heidecker, called the meeting to order at 7:04 p.m. Council members present were: Janssen, Kitzinger and Meyer. Hagedorn and Steven were absent. City clerk Pam Robb was present and Former Water Superintendent Gary Anderson.

Kitzinger moved, Meyer seconded to approve the agenda. All approved, motion carried.

No Lakota residents were present.

No Lakota residents were present.

Janssen moved, Kitzinger seconded to set Public Hearing date of Monday June 4th at 7 pm at City Hall to review an application for a Slate Revolving Fund (SRF) Loan for construction of a new water treatment plant including project design plans and environmental information. All approved, motion carried.

SEH, Inc. PE, Rustin Lingbeek discussed water treatment plant construction material with the council. Kitzinger moved, Janssen seconded to go with a submersible pump instead of a vertical turbine pump. All approved, motion carried. Rustin will take the city council to the construction site after the meeting.

Janssen moved, Meyer seconded to adjourn meeting at 7:25 pm. All approved, motion carried.

Pamela Robb, City Clerk
 Attest: Nathan Heidecker, Mayor
 Published in the Buffalo Center Tribune on Wednesday, May 9, 2018

2017 WATER QUALITY REPORT FOR BUFFALO CENTER MUNI WATER DEPT

2017 WATER QUALITY REPORT FOR BUFFALO CENTER MUNI WATER DEPT

This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our water quality testing shows the following results:

CONTAMINANT	MCL - (MCLG)	Compliance Type	Value & (Range)	Date	Violation	Source
Total Trihalomethanes (ppb) [TTHM]	80 (N/A)	LRAA	33.00 (33-33)	09/30/2017	No	By-products of drinking water chlorination
Total Haloacetic Acids (ppb) [HAA5]	60 (N/A)	LRAA	11.00 (11-11)	09/30/2017	No	By-products of drinking water disinfection
Lead (ppb)	AL=15 (0)	90th	ND	2015	No	Corrosion of household plumbing systems; erosion of natural deposits
Copper (ppm)	AL=1.3 (1.3)	90th	.45 (ND - 0.46)	2015	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
950 - DISTRIBUTION SYSTEM						
Chlorine (ppm)	MRDL = 4.0 (MRDLG = 4.0)	RAA	1.8 (1.46 - 2.28)	09/30/2017	No	Water additive used to control microbes
01 - S/EP FOR WELL #1, WELL #2 - TREATED						
Gross Alpha, inc (pCi/L)	15 (0)	SGL	3	01/12/2015	No	Erosion of natural deposits.
Combined Radium (pCi/L)	5 (0)	SGL	1.1	04/08/2014	No	Erosion of natural deposits.
Fluoride (ppm)	4 (4)	SGL	0.39	04/18/2013	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories.
Barium (ppm)	2 (2)	SGL	0.1	04/18/2013	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Sodium (ppm)	N/A (N/A)	SGL	69.99	09/07/2016	No	Erosion of natural deposits; Added to water during treatment process
Nitrate [as N] (ppm)	10 (10)	SGL	0.952	2017	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

DEFINITIONS

- Maximum Containment Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- ppb - parts per billion.
- ppm - parts per million.
- pCi/L - picocuries per liter
- N/A - Not applicable
- ND - Not detected
- RRA - Running Annual Average
- Treatment Technique (TT) - A required

process intended to reduce the level of contaminant in drinking water.

- Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- SGL - Single Sample Result
- RTCR - Revised Total Coliform Rule

GENERAL INFORMATION

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infec-

tions. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. BUFFALO CENTER MUNI WATER DEPT is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

SOURCE WATER ASSESSMENT INFORMATION

This water supply obtains its water from the dolomite and limestone of the Ordovician (abv St. Peter) aquifer. The Ordovician (abv St. Peter) aquifer was determined to have low susceptibility to contamination because the characteristics of the aquifer and overlying materials provide natural protection from contaminants at the land surface. The Ordovician (abv St. Peter) wells will have low susceptibility to surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer application. A detailed evaluation of your source water was completed by the Iowa Department of Natural Resources, and is available from the Water Operator at 641-562-2505.

CONTACT INFORMATION

For questions regarding this information or how you can get involved in decisions regarding the water system, please contact BUFFALO CENTER MUNI WATER DEPT at 641-562-2505.

Published in the Buffalo Center Tribune on Wednesday, May 9, 2018